

1. Product and Company Information

Product Name CPS Resin: CPS 3010 G
Product Number CPS Resin: CPS 3010 G

Company :

Arkema Inc.
900 First Avenue
King of Prussia, Pennsylvania, 19406

Telephone Number 303-520-4107

Emergency Number 303-520-4107

2. Hazard(s) Identification

Hazard Summary: Harmful if swallowed, 2-H302
 Skin irritation, 2-H315
 Skin corrosive 1B-H314
 May cause an allergic skin reaction, 2-H317
 Eye Damage 1-H318
 Very toxic to aquatic life with long lasting effects, 2-H410

GHS Symbol:



3. Composition/information on Ingredients

Proprietary Resin. UV Curable. Extremely low viscosity, good for use in ink jet applications. 15 cPs at room temperature. Cures rapidly to form a high modulus, optically clear material. Excellent adhesion to aluminum and steel. Non-yellowing. Low oxygen inhibition.

4. First-aid Measures

General: Remove contaminated clothing.

Eye contact: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Skin contact: Wash thoroughly with soap and water. If irritation develops, seek medical attention.

Ingestion: Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

Inhalation: If difficulties occur after inhalation, remove to fresh air and seek medical attention.

5. Fire-Fighting Measures

Flash Point: >110°C

Auto-ignition Temperature: Not determined

Flammability: Not determined

Fire Fighting Information: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Emits toxic fumes under fire conditions.

Extinguishing Media: Dry chemical, sand, carbon dioxide, foam, water spray.

6. Accidental Release Measures

In case of spill: Prevent further spill or leak if possible to do so without risk. Ventilate the area. Avoid generation of vapors. Contain and collect spilled chemical with non-combustible absorbent material such as clean sand, earth, diatomaceous earth or non-acidic clay and place into suitable properly labeled containers for prompt disposal.

Personal precautions: Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. Keep unprotected persons away from chemicals.

Environmental precautions: Keep out of drains and water courses. Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up: Absorb with an inert material and place in a chemical waste container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

7. Handling and Storage

Handling: Do not breathe vapor. Do not get in eyes, on skin, or clothing. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling.

Storage: Keep in a dry, cool place. Store in closed containers, in a secure area to prevent container damage and subsequent spillage. Store out of direct sunlight in a cool well-ventilated place.

High temperatures (>80°C), pressure and contamination with peroxides may result in auto-polymerization of the product.

Unstable upon depletion of inhibitor.

8. Exposure Controls/ Personal Protection

General Measures:	Keep away from foodstuff, beverages, and feed. Wash hands before breaks and at the end of work.
Engineering Controls:	Ensure adequate ventilation. Safety shower and eye bath should be nearby. Use in a chemical fume hood.
Eye Protection:	Wear eye and face protection. It is recommended to wear NIOSH or equivalent certified chemical goggles.
Hand Protection:	Wear chemical-resistant gloves.
Skin and Body Protection:	Wear skin protection
Ventilation:	Provide natural or mechanical ventilation to minimize exposure.

9. Physical and Chemical Properties

Appearance:	Colorless
Physical State:	Liquid
Odor:	Mild
pH Value:	Not determined
Melting Point:	Not determined
Boiling Point:	Not determined
Flash Point:	Not applicable
Flammability:	Not applicable
Decomposition Temp.:	Not determined
Danger of explosion:	Product does not present an explosion hazard.

10. Stability and Reactivity

Chemical Stability:	Stable under recommended storage conditions.
Hazardous Polymerization:	Reacts rapidly upon exposure to ultraviolet light or in the presence of inhibitor depleting heat. Polymerization is hazardous and can degenerate into an uncontrolled reaction.

Incompatible materials: Strong oxidizing agents, strong reducing agents, free radical generators, oxygen scavengers, and peroxides.

Hazardous Decomposition Products:

Acrid smoke-fumes, carbon monoxide, carbon dioxide, sulfur oxides, hydrocarbons, nitrogen oxides and perhaps other toxic vapors may be released during a fire involving this product.

11. Toxicological Information

Route of Exposure: Through contact with skin or after permeation of clothing. Inhalation of vapors.

Signs and Symptoms of Exposure:

Nausea, headache, and vomiting.

12. Ecological Information

Toxic hazard to aquatic environment with long lasting effects. Avoid exposure to natural resources.

13. Disposal Considerations

Dissolve or mix with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations. Must not be disposed of together with household garbage.

14. Transport Information

UN-Number

DOT, TDG, ADN, IMDG, IATA: Non-regulated material

UN-Proper Shipping name

DOT, TDG, AND, IMDG, IATA: Non-regulated material

Transport hazard class(es)

DOT, TDG, ADN, IMDG, IATA

Class: Non-regulated material

Packing group

DOT, ADN, IMDG, IATA: Non-regulated material

Environmental hazards: Not applicable

Special precautions for user: Not applicable

15. Regulatory Information

Federal Regulations: Follow Hazardous Chemical Storage Reporting Requirements
EPCRA 311-312

16. Other Information

Revision Date: 6/13/16

Abbreviations: GHS-Globally Harmonized System of Classification and Labeling of Chemicals
NIOSH-National Institute for Occupational Safety and Health
HMIS-Hazardous Materials Identification System
EPCRA-Emergency Planning and Community Right-to-Know Act

Disclaimer:

The statements, technical information and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, ARKEMA expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. The user should thoroughly test any application before commercialization. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement. See SDS for Health & Safety Considerations.

Arkema has implemented a Medical Policy regarding the use of Arkema products in Medical Devices applications that are in contact with the body or circulating bodily fluids (<http://www.arkema.com/en/social-responsibility/responsible-product-management/medicaldevice-policy/index.html>) Arkema has designated Medical grades to be used for such Medical Device applications. Products that have not been designated as Medical grades are not authorized by Arkema for use in Medical Device applications that are in contact with the body or circulating bodily fluids. In addition, Arkema strictly prohibits the use of any Arkema products in Medical Device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Arkema trademarks and the Arkema name shall not be used in conjunction with customers' medical devices, including without limitation, permanent or temporary implantable devices, and customers shall not represent to anyone else, that Arkema allows, endorses or permits the use of Arkema products in such medical devices.

It is the sole responsibility of the manufacturer of the medical device to determine the suitability (including biocompatibility) of all raw materials, products and components, including any medical grade Arkema products, in order to ensure that the final end-use product is safe for its end use; performs or functions as intended; and complies with all applicable legal and regulatory requirements (FDA or other national drug agencies) It is the sole responsibility of the manufacturer of the medical device to conduct all necessary tests and inspections and to evaluate the medical device under actual end-use requirements and to adequately advise and warn purchasers, users, and/or learned intermediaries (such as physicians) of pertinent risks and fulfill any postmarket surveillance obligations. Any decision regarding the appropriateness of a particular Arkema material in a particular medical device should be based on the judgment of the manufacturer, seller, the competent authority, and the treating physician.

Colorado Photopolymer Solutions, LLC